

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
11 October 2001 (11.10.2001)

PCT

(10) International Publication Number
WO 01/74283 A1

- (51) International Patent Classification⁷: **A61F 13/64**
- (21) International Application Number: **PCT/SE01/00647**
- (22) International Filing Date: **26 March 2001 (26.03.2001)**
- (25) Filing Language: **Swedish**
- (26) Publication Language: **English**
- (30) Priority Data:
0001174-2 **31 March 2000 (31.03.2000)** **SE**
- (71) Applicant (*for all designated States except US*): **SCA HYGIENE PRODUCTS AB [SE/SE]; S-405 03 Göteborg (SE).**
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **KARLSSON, Katharina [SE/SE]; Flora 1123, S-438 94 Härryda (SE). HERMANSSON, Kent [SE/SE]; Citrusgatan 7, S-426 54 Västra Frölunda (SE).**
- (74) Agent: **GÖTEBORGS PATENTBYRÅ DAHLS AB; Sjöporten 4, S-417 64 Göteborg (SE).**
- (81) Designated States (*national*): **AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.**
- (84) Designated States (*regional*): **ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).**
- Published:**
— *with international search report*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: **ABSORBENT ARTICLE PROVIDED WITH A BELT**



(57) Abstract: Absorbent article such as a diaper and an incontinence guard comprising a pair of belt portions (9) attached to the rear portion (6) of the article and which are intended to be fastened together around the waist of the wearer and where said front portion (5) is provided with attachment means (8) intended to be attached to the belt portions (9), in such a way that the article will assume a pantlike shape, where the belt portions (9) form a part of the waist portions of the pant. The belt portions (9) are before use folded in accordion-like fashion and each form an accordion-like folded package (11) which is arranged in a pocket (12) at each side edge of the rear portion (6) of the absorbent article, and can be extended from said pocket and unfolded when the article is to be used, after which the belt portions may be fastened together around the waist of the wearer.

Absorbent article provided with a belt

Technical field

The present invention refers to an absorbent article such as a diaper and an incontinence guard comprising a liquid permeable topsheet, a liquid impermeable backsheet and an absorbent body enclosed therebetween, said article having a front portion, a rear portion and a crotch portion therebetween, and further is provided with a pair of belt portions attached to the rear portion of the article and which are intended to be fastened together around the waist of the wearer and where said front portion is provided with attachment means intended to be attached to the belt portions, in such a way that the article will assume a pantlike shape, where the belt portions form a part of the waist portions of the pant.

Background of the invention

Diapers and incontinence guards for incontinent adults usually have a garment portion holding an absorbent body in place against the user's body and attachment means which hold the garment portion in place also when the user is moving. A common type of attachment means are adhesive tapes or hook and loop fasteners of the touch-and-close type which directly attach the front and rear portions of the absorbent article to each other. It is further known, through e g EP-A-0 287 388, EP-A-0 409 307, EP-A-0 605 012 and FR-A-2 586 558, to attach the front and rear portions of the article by means of a belt, at which the possibilities to adjust the fit are improved. The belt further provides a simplified change of diaper or incontinence guard. The ends of the belt portions can however be difficult to grasp when the article shall be applied to a wearer, especially if the wearer is lying down and the belt ends get caught under the wearer.

Through WO 86/04812 it is previously known to fold the attachment straps of a diaper, i e the straps that carry the attachment means that fasten up the front and rear portions of the diaper, in accordion-like fashion before they are applied to the diaper in order to simplify manufacture and packaging of the products. The folded attachment straps are kept together by a weak adhesive applied in narrow zones in order to be easily released

and unfolded when the diaper is ready for use. The attachment straps do however not constitute a belt as defined in the present invention.

Through EP-A-0 463 276 it is previously known to keep extensible fastener tabs in pockets at each side edge at the rear portion of the diaper. The fastener tabs are elastic and can when used be extended and stretched from the pockets. Neither in this case the fastener tabs constitute a belt which is to be attached around the waist of the user.

Object and most important features of the invention

The object of the present invention is to accomplish a belt-provided absorbent article, such as a diaper or incontinence guard, in which the application of the product on the user is simplified by the fact that the belt portions during application are easily accessible even if the user is lying down. This has according to the invention been solved by the fact that the belt portions before use are folded in accordion-like fashion and each form an accordion-like folded package which is arranged in a pocket at each side edge of the rear portion of the absorbent article, and can be extended from said pocket and unfolded when the article is to be used, after which the belt portions may be fastened together around the waist of the wearer.

According to a preferred embodiment said pocket is formed between the liquid pervious topsheet and the liquid impervious backsheet of the rear portion.

Preferably the accordion folds of the belt portions are kept together by easily breakable seals.

Description of drawings

The invention will in the following be closer described with reference to an embodiment shown in the accompanying drawings.

Fig. 1 shows schematically a perspective view of a diaper or incontinence guard according to the invention having the belt portions folded and placed in pockets at the rear portion.

Fig. 2 shows the diaper according to Fig. 1 but having the belt portions extended and unfolded.

Fig. 3 and 4 show on a larger scale one of the belt portions in folded and unfolded positions respectively.

Description of an embodiment

The drawing shows an embodiment of a diaper or incontinence guard 1 comprising a liquid permeable topsheet 2, a liquid impermeable backsheet 3 and an absorbent body 4 enclosed therebetween. The liquid permeable topsheet 2 can consist of a nonwoven material, e g a spunbond material of continuous filaments, a meltblown material or a bonded carded fibrous web. The liquid impermeable backsheet 3 may consist of a plastic film, a nonwoven material coated with a liquid impervious material or a hydrophobic nonwoven material which resists liquid penetration.

The topsheet 2 and the backsheet material 3 has a somewhat greater extension in the plane than the absorbent body 4 and extends outside the edges thereof. The layers 2 and 3 are connected to each other within the projecting portions thereof, e g by gluing or welding by heat or ultrasonic.

The absorbent body 4 can be of any conventional kind. Examples of commonly occurring absorbent materials are cellulosic fluff pulp, tissue layers, highly absorbent polymers (so called superabsorbents), absorbent foam materials, absorbent nonwovens or the like. It is common to combine cellulosic fluff pulp with superabsorbents in an absorbent body. It is also common to have absorbent bodies comprising layers of different material with different properties with respect to liquid acquisition capacity, liquid distribution capacity and storage capacity. It is well-known to the person skilled in the art and does therefore not have to be described in detail. The thin absorbent

bodies which are common in for example baby diapers and incontinence guards often comprise a compressed mixed or layered structure of cellulosic fluff pulp and superabsorbent.

The diaper/incontinence guard is intended to enclose the lower part of the wearer's trunk like a pair of absorbent pants. It comprises a front portion 5 intended during use to be worn on the front part of the user's body, a rear portion 6 intended during use to be worn on the rear part of the user's body, and a more narrow crotch portion 7 located between the front and rear portions and which is intended to be worn in the crotch part of the user between the legs. The front portion 5 is provided with a pair of adhesive tape portions 8 or other type of attachment means such as hooks and loops fasteners of the touch-and-close type.

A pair of belt portions 9 are with one end attached, e g glued or ultrasonically welded, to the rear portion 5 of the diaper. The belt portions 9 are with their opposite ends intended to be fastened together, e g by means of tape tab 10 which is taped against the outside of the opposite belt portion. Instead of a tape tab there may be another optional attachment means, such as hook-and-loop type fasteners. The attachment tapes 8 of the front portion 5 or corresponding attachment means are intended to be attached against the outsides of the belt portions 9 in order to fasten together the diaper/incontinence guard to the desired pantlike shape.

The width of the belt portions 9 should be between 5-20 cm, preferably between 7-15 cm.

The belt portions 9 are preferably a laminate of a carrier material, which forms the outside of the belt, and a soft nonwoven, which forms the inside of the belt intended to be in direct contact with the skin of the user.

A suitable nonwoven material can be a spunbond material of e g polypropylene- or polyethylene fibres. Conjugate fibres may also be used. Another suitable nonwoven material can be a carded thermobonded material of e g polypropylene-, polyester- or conjugate fibres.

As a carrier material there can be used a plastic film or another appropriate material, e g a nonwoven. The carrier material should be adapted to function as a reception surface for the attachment means 8 and 10, at which in those cases the attachment means are tape tabs, a plastic film is suitable. In case other types of attachment means are used instead of tape tabs, e g hook-and-loop type fasteners, another type of carrier material is suitable which may function as a reception surface for the attachment means in question. Also elastic laminates are suitable to use as material in the belt portions.

The belt portions 9 are before use folded in accordion-like fashion and each form an accordion-like folded package 11 arranged in pocket 12 at each side edge of the rear portion 6 of the diaper/incontinence guard. A flap 9' of each belt portion 9 projects preferably outside the pocket 12, so that it may easily be grasped. This pocket 12 preferably constitutes a space between the topsheet 2 and the backsheet material 3 where these are not joined together. The pocket may also constitute a separate part attached on the outside of the backsheet material 3 alternatively on the inside of the topsheet material 2.

The accordion folds 9 of the belt portions are kept together by means of easily breakable seals 13, e g glue strings/glue spots or weld seams/weld spots provided by ultrasonic or heat. When the diaper/incontinence guard is to be applied on the user the belt portions 9 are easily accessible for the nursing staff and by a light jerk in the flap 9' projecting from pocket 12 the seal is broken and the belt portions 9 can be unfolded and attached around the waist of the user. The tape tabs 8 of the front portion 5 or corresponding attachment means can then be attached against the outside of the belt

portions 9 in order to fasten together the diaper/incontinence guard to the desired pantlike shape.

The invention is of course not limited to the above described embodiment but can be modified within the scope of the claims.

Claims

1. Absorbent article such as a diaper and an incontinence guard comprising a liquid permeable topsheet (2), a liquid impermeable backsheet (3) and an absorbent body (4) enclosed therebetween, said article having a front portion (5), a rear portion (6) and a crotch portion (7) therebetween, and further is provided with a pair of belt portions (9) attached to the rear portion (6) of the article and which are intended to be fastened together around the waist of the wearer and where said front portion (5) is provided with attachment means (8) intended to be attached to the belt portions (9), in such a way that the article will assume a pantlike shape, where the belt portions (9) form a part of the waist portions of the pant.

characterized in

that the belt portions (9) before use are folded in accordion-like fashion and each form an accordion-like folded package (11) which is arranged in a pocket (12) at each side edge of the rear portion (6) of the absorbent article, and can be extended from said pocket and unfolded when the article is to be used, after which the belt portions may be fastened together around the waist of the wearer.

2. Absorbent article as claimed in claim 1,

characterized in

that said pocket (12) is formed between the liquid pervious topsheet (2) and the liquid impervious backsheet (3) of the rear portion (3).

3. Absorbent article as claimed in claim 1 or 2,

characterized in

that the accordion folds (9') of the belt portions (9) are kept together by easily breakable seals (13).




FIG.1




FIG. 2

3/3




FIG. 3




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 01/00647

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A61F 13/64

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 8604812 A1 (WEYERHAEUSER COMPANY), 28 August 1986 (28.08.86), abstract, figure --	1-3
A	US 4317449 A (NOWAKOSKI), 2 March 1982 (02.03.82), abstract, figure --	1-3
A	EP 0463276 A1 (MED-I-PANT INC.), 2 January 1992 (02.01.92), abstract, figure --	1-3
A	WO 9426222 A1 (MÖLNLYCKE AB), 24 November 1994 (24.11.94), abstract, figure -- -----	1-3

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

27 June 2001

04 -07- 2001

Name and mailing address of the ISA,

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Hélène Erikson/BS

Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT
Information on patent family members

28/05/01

International application No.
PCT/SE 01/00647

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
WO	8604812	A1	28/08/86	EP SE	0217786 A,B 0217786 T3	15/04/87
US	4317449	A	02/03/82	NONE		
EP	0463276	A1	02/01/92	CA US	1303297 A 4937887 A	16/06/92 03/07/90
WO	9426222	A1	24/11/94	AT	159419 T	15/11/97
				AU	676734 B	20/03/97
				AU	6763694 A	12/12/94
				CA	2162049 A	24/11/94
				CZ	284432 B	11/11/98
				CZ	9502947 A	14/02/96
				DE	69406443 D,T	19/03/98
				DK	699066 T	25/05/98
				EP	0699066 A,B	06/03/96
				SE	0699066 T3	
				ES	2110238 T	01/02/98
				FI	955442 A	10/11/95
				GB	2277867 A,B	16/11/94
				GB	9409284 D	00/00/00
				GR	3025615 T	31/03/98
				HU	73723 A	30/09/96
				HU	218565 B	28/10/00
				HU	9503058 D	00/00/00
				JP	8510145 T	29/10/96
				NO	954515 A	02/01/96
				NZ	266236 A	20/12/96
				PL	175642 B	29/01/99
				PL	311574 A	19/02/96
				SE	508028 C	10/08/98
				SE	9301630 A	13/11/94
				SK	141495 A	03/04/96
				ZA	9403175 A	11/01/95